

THOMAS L. GARTHWAITE, M.D. Director and Chief Medical Officer

FRED LEAF Chief Operating Officer

COUNTY OF LOS ANGELES DEPARTMENT OF HEALTH SERVICES 313 N. Figueroa Street, Los Angeles, CA 90012 (213) 240-8101

October 25, 2002

BOARD OF SUPERVISORS

Gloria Molina First District

Yvonne Brathwaite Burke Second District

> Zev Yaroslavsky Third District

Don Knabe Fourth District

Michael D. Antonovich Fifth District

TO: Each Supervisor

FROM Thomas L. Garthwaite, M.D.

Director and Chief Medical Officer

SUBJECT: SYPHILIS AMONG MEN WHO HAVE SEX WITH MEN

On April 15, 2002 the Department of Health Services provided the Board with an update report on syphilis among men who have sex with men (MSM) and on additional efforts being taken to address the endemic level of infection in L.A. County. This memo provides a further update on these efforts.

UPDATE ON CASES

A total of 217 early syphilis cases (primary, secondary, and early latent) has been reported among MSMs in 2002 (through August 31). This total is nearly as high as that for the entire year in 2001 (222 MSM cases), and represents an increase of 57% from the 2001 year-to-date (through August 31) total of 138 MSM cases. MSM cases represent 58% of the 375 total early syphilis cases to date in L.A. County in 2002, similar to the 56% of total cases in 2001. At least 57% of MSM early syphilis cases in 2002 have been HIV-positive, similar to at least 55% of MSM cases in 2001. Attachment I shows L.A. County totals for all early syphilis cases, and for primary and secondary (i.e., symptomatic) syphilis cases, for both the overall population and for MSM, by month of diagnosis, and by Health District and SPA of residence, through August 23, 2002.

CURRENT EFFORTS

The following activities already in place prior to April 15, 2002 have continued:

STD Program screening in the K-11 Unit (a unit exclusively housing MSM) in the Men's Central Jail. Through April 2002, screening in K-11 resulted in 218 syphilis tests, identifying no new cases. In the same period, 251 HIV tests were given, identifying 23 cases (9.3% prevalence). K-11, though a major source of case syphilis detection in 2000, has seen no new recent infections, perhaps due to on-going screening of the jail population.

STD Program screening in community venues using the Mobile Clinic Unit (a mobile van). Between March 24 and December 31, 2001, the unit conducted 21 screening events targeting MSM, providing 423 syphilis tests and identifying 3 untreated early syphilis cases (0.7% prevalence).

HIV Epidemiology Program testing in two bathhouses. HIV Epidemiology continued to conduct screening in one bathhouse through the end of July; screening in a second bathhouse is on-going. Through mid-August, 2002, this effort resulted in 459 tests taken, with 7 new syphilis cases (1.5% prevalence) and 53 HIV cases (11.5% prevalence) detected.

Screening by Adult Industry Medical in collaboration with the STD program at four commercial sex venues. Between February 11, 2001 and July 19, 2002, screening of 491 men resulted in identification of 4 untreated syphilis cases (0.8%) and 13 new HIV infections (2.6% prevalence).

OAPP HIV Prevention contracts with community agencies of \$5 million targeting MSMs.

Since April 15, the following additional efforts have also been initiated:

A contract with AIDS Project Los Angeles (APLA) for \$66,150 was approved by the Board on April 30, 2002 to provide a prevention advocate and liaison between the Department and the commercial sex venues (bathhouses and sex clubs). The liaison will work with management of these venues, the STD Program, the Syphilis Organizing Committee (SMOC), and other agencies to maximize disease prevention policies, education, training, and health access at or through these venues, and venue coordination with the MSM syphilis prevention media campaign.

An OAPP grant award for \$150,000 to APLA, working in collaboration with the STD Program, Childrens Hospital Los Angeles, and other agencies, to initiate a peer-to-peer program to promote safer sex norms in commercial sex venues. This program will adapt a Popular Opinion Leader (POL) model, used successfully for MSM population in other settings (e.g., bars) to commercial sex venues.

A contract to AIDS Healthcare Foundation (AHF) for \$394,345 was approved by the Board on April 30, 2002 to coordinate and implement a targeted prevention media campaign directed at MSMs. AHF has undertaken this campaign in conjunction with 5 other MSM-serving community agencies, who have formally convened as the Syphilis Media Organizing Committee (SMOC), coordinated by AHF.

The L.A. County media campaign was launched June 20, just prior to the weekend of the Christopher Street West (gay pride) festival in West Hollywood, with a press conference attended by television crews from channels 2,7, and 11, and covered by articles in FAB and Frontiers magazines. To date, campaign expenditures (including start-up development costs) have totaled \$191,142. Through July, campaign activities have included:

11 print ads in 4 English and 2 Spanish publications (all publications used target MSM except the L.A. Weekly). (A second generation of print ads, which further develop a narrative story featuring Phil, began in August.)

One English and one Spanish billboard (each 14' x 48') in West Hollywood and Hollywood locations.

A mobile billboard (English on one side, Spanish on one side) used during the week of Christopher Street West (6/21 - 6/27).

A campaign website (www.stopthesores.org), also linked to the STD Program website, featuring all campaign materials, information about syphilis, and locations of testing resources.

Outreaches at Christopher Street West, Outfest, the Lotus Festival, Sunset Junction, and various venues. At outreaches through July, staff of AHF and the SMOC agencies have distributed approximately 10,000 palm cards (including approximately 3,000 in Spanish), and approximately 15,000 "Phil, the syphilis sore" stress grips, bearing the STD Hotline number and the campaign website url (www.stopthesores.org). Many outreaches have also featured an AHF staff member in a life-size "Phil" costume. To aid in the selection of outreach venues, the STD Program has provided lists to agencies performing outreach, identifying key venues named as sources of partner contact in MSM syphilis case interviews. Media campaign materials have also been included as a regular part of AHF's mobile HIV testing van, which operates four times per week, and at AIM's syphilis and HIV testing outreaches at four commercial sex venues.

A brief segment featuring the Los Angeles County and San Francisco syphilis campaigns on the national cable program "The Daily Show," on the Comedy Central cable network. This segment aired 7/23/02 and remains available for viewing on the Comedy Central website.

Planning by the STD program and AHF to develop and implement campaign evaluation activities.

On-going efforts of the Latino Syphilis Working Group, a collaborative of four agencies serving Latino MSM, which originally formed at the end of 2001. The Working Group, co-facilitated by an STD Program staff member, has helped promote syphilis education outreaches by member agencies (both separately and jointly) targeting Latino MSM at key venues identified by the STD Program, and sponsored trainings (provided by the STD Program) on syphilis for agency outreach staff.

Of three vacant positions reassigned to the STD Program, two have been filled. The STD program was also allocated four new positions from the Public Health reinvestment, a part of the March 19, 2002 Strategic Plan status report.

I will provide a further update by January 31, 2003. In the meantime, if you have any questions or need additional information, please let me know.

TLG:lm 003:024

Attachments


c: Chief Administrative Officer
County Counsel
Executive Officer, Board of Supervisors

Attachment I

0 20 30 40 50 30 <u>c</u> TD Progra 42 ete da 29 ebruary 19 51 ರ 42 29 -58 reporting - 38--April ω, □2000 46 29 May 35 65 2001 Ange June Cal 22 July ■2002 (through 8/23) August September 744,597 38---8-* cbeന്നുക്കുവ October 23 .ca.1 09. 33 ovember 43 December 22 39

Tota Irl Syph Di gnosed by Month Year Los Angeles C ty 2000 - 8/23/2002 (N

Total Early Syphilis Diagnosed Among MSM* by Month and Year Los Angeles County, 2000 through 8/23/2002 (N=559)




Source: LAC STD Program

□2000 ■2001 ■2002 to Date


^{**} Incomplete data due to case reporting delay

Primary and Secondary Syphilis Diagnosed by Month and Year Los Angeles County, 2000 - 8/23/2002 (N = 499)



LA STD Program / 2615 South Grand Avenue, Room 500 / Los Angeles, California 90007 / 213.744.5977 / cbemis@dhs.co.la.ca.us / 09.03.02


Primary and Secondary Syphilis Diagnosed Among MSM* by Month and Year Los Angeles County, 2000 through 8/23/2002 (N=327)



Source: LAC STD Program
LA STD Program / 2615 South Grand Avenue, Room 500 / Los Angeles, California 90007 / 213.744.5977 / cbemis@dhs.co.la.ca.us / 09.03.02

Source: LAC DHS STD Program 9/6/02


Primary and Secondary Syphilis by SPA of Residence, Los Angeles County 2002 From 1/1/2002 through 8/23/2002 (N = 173)



Source: LAC STD Program

LA STD Program / 2615 South Grand Avenue, Room 500 / Los Angeles, California 90007 / 213.744.5977 / cbemis@dhs.co.la.ca.us / 09.03.02

Primary and Secondary Syphilis by Health District of Residence Los Angeles County, 1/1/2002 through 8/23/2002 (N = 499)



Source: LAC STD Program

LA STD Program / 2615 South Grand Avenue, Room 500 / Los Angeles, California 90007 / 213.744.5977 / cbemis@dhs.co.la.ca.us / 09.03.02

Ear	Early Syphilis	is Cases	by Health	h Distric	District of Residence	dence			
	3000	through	8/33		3001			3000	
		Early Tot	Total		Farly	Total		Farly	Total
	P&S	Latent	Early	P&S	Latent	Early	P&S	Latent	Early
Alhambra	1		1	1	2	3			
Antelope Valley	ပ		S	_		1	2	2	4
Bellflower	5	_	6		9	12	2	4	6
Central	19	34	53		N	49		19	37
Compton	ω	4	7	5		15		16	19
East Los Angeles	_		1			10		8	10
East Valley	5	7	12	11	7	18		6	10
El Monte	2	21	7		9	13	2	10	12
Foothill	_		1			ω		2	4
Glendale	2	5	7	ω	4	7		ω	ω
Harbor	2	5	7			2		ω	6
Hollywood-Wilshire	74	52	126		47	97	37	32	69
nglewood	7	9	16	7	7	14		2	13
Northeast	4	4	8		1	23		18	23
Pomona	သ	4	7			15		9	15
San Antonio	4	5	9	ယ	1	14	5	12	17
San Fernando	3	ω	6			6		2	2
outh	1	4	5			4	7	9	16
Southeast	3	4	7	7	5	12		11	13
Southwest	6	8	14	11	13	24		12	19
Torrance	4	3	7	4	3	7	သ	2	5
West	14	6	20	12		18	4	ယ	7
West Valley	3	7	10		7	16	7	8	15
Whittier		9	9	5		7	2	4	6
JNKNOWN	3	2	5			4	2	ω	5
<u> </u>	173	181	354	186	208	394	136	200	336
70 010									
Source: LAC DHS STD Program									
Jpdated 08/29/2002									

Early Syphilis Cases by SPA of Residence

336	200	136	394	802	981	324	181	871	IstoTi
<u> </u>	3	7	Þ	ε	L	g	7	3	
	L	4 1	23	11	15	30	ا ل	13	
11	28	11	£43	82	91	52	91	10	
1	184	161	99	31	24	33	20	131	
K K	3	ヤ	81	9	71	20	9	カレ	
11	169	09	69 l	98	1 8	781	06	۷6	
18	12	01	34	22	15	91	6	7	
30	61	11	L 7	22	52	32	22	13	SPA 2 - S AN FERN ANDO VALLEY
Þ	7	7	l		l	3		3	SPA 1 - ANTELOPE VALLEY
Total Early	Early Latent	2&9	Total Early	Early Latent	2.89	Total Early	Early Latent	2.89	
	2000			2001		2002 through 8/23			

Source: LAC DHS STD Program Updated 08/29/2002

Total Early Syphilis in Los Angeles County by Month

340	204	1361	394	1802	981		182	111	
				•			•		December
	l.		43	23	6١		•		
	1		33	191	121		•	·	
	1	6	67	81	11		•	·	
	1	G	38	22	9١	8	†	Þ	_
		6	84	24	54	32	٩١	Z L	
	1	121	67	かし	91	7 3	32	52	
	1	111	32	1 21	<u> 1</u> 81	199	34	31	,
	F			ا ل	かし	97	91	30	
	1	1	T	12	121	85	167	50	
	1		1	<u> </u>					-
	r	8	12	12	6	742	23	16	
Early	Early Latent	2&9	Early	Early Latent	2.8.9	Total Early	Early Latent	2&9	
Total			Total						
	2000			2001		F 8/23	2002 throug		

Source: LAC DHS STD Program Updated 08/29/2002

Early Syphilis Cases among Men Who Have Sex With Men (MSM) and Men Who Have Sex With Men and Womth

126	22	14	222	98	136	201	18	120	Total
8	3	G	97	13	દા		•		December
9	L	G	50	L	13		•		November
6	ヤ	G	50	7	13		•		October
8	G	3	ا ل	9	11		•		September
01	L	3	22	6	13	2	l .	L	tsuguA
8	b	ヤ	52	01	9١	81	9	13	չևև
7	7	G	6١	8	11	82	11	ل ا	əunr
દા	9	L	50	8	15	7£	 すし	23	May
12	6	15	6١	8	11	82	8	20	linqA
ا ل	9	11	ا ل	9	15	38	4 1	12	March
11	ヤ	7	11	†	L	77	11	13	February
8	†	フ	G	l	†	97	すし	15	January
Total Early	Early Latent	2&9	Total Early	Early Latent	2.89	Total Early	Early Latent	2&9	
	2000		2001			2002 through 8/23			

*Inlcudes gay men, bisexual men, and male to female transgenders Source: LAC DHS STD Program Updated 08/29/2002